

SAFETY DATA SHEET**SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Trade Name: 759
Product Description: Bird Song Solvent Blend
Chemical Name: Cleaner Dichloromethane / DI-Acetone
UN Number: UN 1993
UN Dangerous /goods Class/Subsidiary Risk: Hazard Class 3 (6.1) Packing Group III
Manufacture's Name: **Applied** Products, Inc.
Address: 6035 Baker Road Minnetonka, MN 55345
Website: www.appliedadhesives.com
Emergency Phone: (800) 424-9300 (Chemtrec)
Business Phone: 800-365.2480
Date of Preparation: 11/30/2021
Date of last revision: 4/14/2022

****This chemical / product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.**

SECTION 2 HAZARD IDENTIFICATION**OSHA Hazards**

Carcinogen, Combustible Liquid, Target Organ Effect, Harmful by ingestion, Irritant.

Target Organs

Liver, Pancreas, Blood, Central Nervous System, Heart, Kidney

GHS Classification

Flammable liquids (Category 3)
Acute toxicity, Inhalation (Category 3)
Acute toxicity, Oral (Category 4)
Skin irritation (Category 2)
Serious eye damage / Eye Irritation (Category 1)
Aspiration hazard (Category 1)
Carcinogenicity (Category 2)
Combustible liquid (Category 4)

**Signal Word****DANGER****Hazard Statement's)**

H-302	Harmful if swallowed.
H318	Causes serious eye damage.
H-351	Suspected of causing cancer.
H226	Flammable liquid and vapor.
H331	Toxic if inhaled.

Precautionary Statement's

P261 Avoid breathing dust / fume / gas / mist / vapours / spray.
 P-281 Use personal protective equipment as required.
 P-305+P-351+P-338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P311 Immediately call a POISON CENTER or doctor / physician.

HMIS Classification

Health Hazard: 2
Chronic Health Hazard: *
Flammability: 2
Physical Hazard: 0

NFPA Rating

Health Hazard: 2
Fire: 2
Reactivity Hazard: 0

Potential Health Effects

Inhalation: May be harmful if inhaled. Causes respiratory tract irritation.
 Vapors may cause drowsiness and dizziness.
Skin: May be harmful if absorbed through skin. Causes skin irritation.
Eyes: Causes eye irritation.
Ingestion: May be harmful if swallowed.

SECTION - COMPOSITION INFORMATION ON INGREDIENTS

Synonyms: Dichloromethane

Formula: CH₂Cl₂

Molecular Weight: 84.93 g/moi

ITEM	CHEMICAL NAME	CAS #	EC-No	Wt. % RANGE
1	Dichloromethane	75-09-2	200-838-9	90%
2	Di-Acetone Alcohol	123-42-2	204-626-7	10%

SECTION 4 - FIRST AID MEASURES

Consult a physician. Show this safety data sheet to the doctor in attendance.

Eye Contact: Flush with large quantities of water for at least 15 minutes or until irritation subsides.
 Contact a Physician.

Skin Contact: Wash with soap and water, Consult a physician.

If Inhaled: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Contact a Physician immediately.

If Swallowed: Do not induce vomiting. If irritation or complications arise, contact a Physician or Regional Poison Control Center immediately.

SECTION 5 - FIRE FIGHTING MEASURES

Conditions of Flammability:

Not flammable or Combustible

Suitable extinguishing media:

Dry chemical, Carbon dioxide(CO₂), Water spray, Alcohol-resistant foam.

Hazardous combustion products:

Hazardous decomposition products form under fire conditions-Carbon oxides. Hydrogen Chloride gas.

Precautions for fire-fighting:

Wear full fire fighting turn-out gear (full Bunker gear), and respiratory protection (SCBA).

Further Information:

Use water spray to cool unopened containers.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personal to safe areas.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and clean up:

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling:

Avoid skin and eye contact. Avoid breathing vapors. Use only in a well ventilated area.

Storage information:

Keep containers tightly closed when not in use. Keep containers from excessive heat and freezing. Use and store containers in a well ventilated area. Heat sensitive. Store under inert gas.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

SDS Components	CAS-No.	Value	Exposure Limits	Governing Body
Methylene Chloride	75-09-2	TWA	50ppm	USA, ACGIH Threshold Limit Values (TLV)
Di Acetone Alcohol	123-42-2	TWA	50 ppm	USA, ACGIH Threshold Limit Values (TLV)
Di Acetone Alcohol	123-42-2	TWA	50 ppm	USA, OSHA - Table Z-1 Limits of air Contaminants
Di Acetone Alcohol	123-42-2	TWA	50 ppm	USA,OEL (OSHA)-Table Z-1 Limits for air Contaminants
Di Acetone Alcohol	109-60-4	TWA	200 ppm	USA,OEL (OSHA)-Table Z-1 Limits for air Contaminants

Engineering Controls:

Provide sufficient mechanical ventilation (local or general exhaust) to maintain exposures below PEL and TLV. Vapors are heavier than air and will collect in low areas. Check all low areas (basements, sumps, ect.) for vapors before entering.

Respiratory Protection:

When risk assessment shows air-purifying respirators are appropriate use full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand Protection:

Handle with gloves. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye Protection:

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU)

Skin and Body Protection:

Impervious clothing, Flame retardant protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid, Clear

PH: Not Applicable

Melting Point/Range Point:-97 Deg. C -143 Deg. F

Boiling Point: 39.8 C (103 Deg. F)

Flash Point: No data available

Evaporation Rate: 0.71

Ignition Temperature: 556.1 C (1,033.0 F)

Upper Explosion Limits: 19 %

Lower Explosion Limits: 12 %

Vapor Pressure: 470.9 hPa (353.2 mmHg) at 20.0 Deg. C (68.0 Deg F)

Vapor Density: 1.325 g/ml at 25 Deg. C (77 Deg. F)

Relative Vapor Density: 2.93 -(Air=1.0)

Water Solubility: Slightly Soluble

Partition Coefficients: log Pow: 1.25

Ibs. per gallon: 10.40

SECTION 10 - STABILITY AND REACTIVITY**Chemical Stability:**

Stable under recommended storage conditions.

Possibility of Hazardous Reactions:

No data available

Conditions to Avoid:

Heat, Flames and sparks, Extremes of temperature and direct sunlight.

Materials to avoid:

Alkali metals, Aluminum, Strong Oxidizing agents, Bases, Amines, Magnesium, Strong Acids, and strong bases, Vinyl compounds.

Hazardous Decomposition Products:

Hazardous Decomposition Products formed under fire conditions,-Carbon Oxides, Hydrogen Chloride gas. Other decomposition products- no data available

Contains the following stabilizer's): 2-Methyl-2butene (>=50 - <=150 ppm

SECTION 11 - TOXICOLOGICAL PROPERTIES**Acute Toxicity:****Oral LD50**

LD50 oral- rat-1,600 mg/kg

Remarks: Behavioral: Ataxia.

Inhalation LC50

LC50 Inhalation-rat-52,000 mg/m³

Other information on Acute Toxicity:

No data available

Skin Corrosion/Irritation:

Skin - rabbit - Mild skin irritation 24 h

Serious Eye Damage/Eye Irritation:

Eyes - rabbit - Mild eye irritation - 24 h

Respiratory or Skin Sensitization:

No data Available

Germ Cell Mutagenicity:

Genotoxicity in vivo -rat- Oral

DNA Damage

Carcinogenicity:

Carcinogenicity - rat -Inhalation

Tumorogenic: Carcinogenic by RTECS criteria. Endocrin: Tumors.

Limited evidence of carcinogenicity in animal studies.

IARC: 2B-Group 2G: Possibly carcinogenic to humans (Methylene Chloride)
 NTP: Reasonable anticipated to be a human carcinogen (Methylene Chloride)

Reproductive Toxicity:

No data available.

Teratogenicity:

Specific Target Organs Toxicity- Single Exposure (GHS)

No data Available.

Specific Target Organs Toxicity- repeated Exposure (GHS)

No data Available.

Aspiration Hazard:

No data available.

Potential Health Effects:

Inhalation: May be harmful in inhaled. Causes respiratory tract irritation.

Ingestion: Harmful if swallowed.

Skin: Harmful if absorbed through skin. Causes skin irritation.

Eyes: Causes eye irritation.

Signs and Symptoms of Exposure:

Dichloromethane is metabolized in the body producing carbon monoxide which increases and sustains carboxyhemoglobin levels in the blood, reducing the oxygen-carrying capacity of the blood. Dizziness, Prolonged or repeated contact with skin may cause:, deflating, Dermatitis, Contact with eyes can cause:, Redness, Blurred vision, Provokes tears., Effects due to ingestion may include:, Gastrointestinal discomfort, Central nervous system depression, Paresthesia:, Drowsiness, Convulsions, Conjunctivitis., Pulmonary edema. Effects may be delayed., Irregular breathing., Stomach/intestinal disorders, Nausea, Vomiting, Increased liver enzymes., Weakness, Heavy or prolonged skin exposure may result in the absorption of harmful amounts of material., Abdominal pain.

Synergistic Effects: No data available

Additional Information:

RTECS: PA8050000

SECTION 12 - ECOLOGICAL INFORMATION

Toxicity:

Toxicity to fish LC50 - Carassius auratus (Goldfish) - 4 mg/l - 24 h
 LC50 - Tilapia mossambica - 375 mg/l - 96.0 h

Toxicity to daphnia LC50 - Daphnia magna (Water flea) - 150 mg/l - 48 h
 and other aquatic invertebrates.

Persistence and Degradability:

No data available

Bioaccumulative Potential:

Indication of bioaccumulation.

Mobility in Soil:

No data available

PBT and vPvB Assessment:

No data available

Other Adverse Effects:

SECTION 13 - DISPOSAL CONSIDERATIONS

Product:

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated Packaging:

Dispose of as unused product.

SECTION 14 - TRANSPORTATION INFORMATION

DOT (US):

DOT PROPER SHIPPING NAME: UN1993,Combustible liquid,toxic,n.o.s.,(Di-Acetone Alcohol, Dichloromethane)
Class 3, (6.1) PG III

DOT Hazard Class (CFR): 2

Additional Hazard Class (CFR): 6.1 Packing Group: III

Reportable Quantity (RQ) 1000 lbs.

Marine Pollutant: No

Poison Inhalation Hazard: No

IMDG:

PROPER SHIPPING NAME: UN1993,Combustible liquid,toxic,n.o.s.,(Di-Acetone Alcohol, Dichloromethane) Class
3, (6.1) PG III

Hazard Class (CFR): 2

Additional Hazard Class (CFR): 6.1 Packing Group: III

Reportable Quantity (RQ) 1000 lbs.

Marine Pollutant: No

Poison Inhalation Hazard: No

IATA:

PROPER SHIPPING NAME: UN1993,Combustible liquid,toxic,n.o.s.,(Di-Acetone Alcohol, Dichloromethane) Class
3, (6.1) PG III

Hazard Class (CFR): 2

Additional Hazard Class (CFR): 6.1 Packing Group: III

Reportable Quantity (RQ) 1000 lbs.

Marine Pollutant: No

Poison Inhalation Hazard: No

SECTION 15 - REGULATORY INFORMATION

****This chemical / product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.**

OSHA Hazards

Carcinogen, Combustible Liquid, Target Organ Effect, Harmful by ingestion, Irritant.

SARA 302 Components:

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III Section 302.

SARA 313 Components:

SARA SECTION 313: The following components are subject to reporting levels established by SARA Title III Section 313.

Dichloromethane

SARA 311/312 Hazard :

Fire Hazard, Acute Health Hazard, Chronic Health hazard.

SARA TITLE III INGREDIENTS:	CAS #	EINECS #	WT%	Reg. Section	RQ (lbs)
Dichloromethane	75-09-2	200-838-9	73-84%	311,312,313,RCRA	1,000

EPCRA EXTREMELY HAZARDOUS SUBSTANNCES (40 CFR 355.30):

CAS #	EINECS #	EPCRA RQ's	Threshold Planning Quantity (TPQ's)
Dichloromethane	75-09-2	200-838-9	Not Listed

Any release equal to or exceeding the RQ must be reported to the National Response Center (800-424-8802) and appropriate state and local regulatory agencies as described in the 40 CFR 302.6 and 40 CFR 355.40 respectively. Failure to report may result in substantial civil and criminal penalties. State and local

Massachusetts Right to Know Components:	CAS #	Revision Date
Dichloromethane	75-09-2	4/14/2022
DI-Acetone Alcohol	123-42-2	

Pennsylvania Right to Know Components:	CAS #	Revision Date
Dichloromethane	75-09-2	4/14/2022
DI-Acetone Alcohol	123-42-2	

New Jersey Right to Know Components:	CAS #	Revision Date
Dichloromethane	75-09-2	4/14/2022
DI-Acetone Alcohol	123-42-2	

The components of this product are reported in the following inventories:

Country(s) or region	Inventory name	On inventory (yes/no)
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS) Inventory of Chemical Substances (ISHL)	Yes Yes
Korea	Existing Chemicals List (ECL)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

California Prop. 65 Components:

WARNING: This product contains chemicals known to the

state of California to cause cancer.

Dichloromethane CAS #75-09-2

For more information, go to "www.P65Warnings.ca.gov."

SECTION 16 - OTHER INFORMATION

HMIS RATINGS - HEALTH: 2 FLAMMABILITY: 2 REACTIVITY: 0

REASON FOR REVISION: To Correct MSDS Number/Change OSHA Hazcom Information

HAP less water, less exempt solvent: 9.36 # Per Gal.

VOC less water, less exempt solvent: 1.04 # Per Gal.

Product Shelf Life: 12 Months from the date of Mfg. in an unopened sealed container.**Disclaimer**

Seller may provide data or other information to Buyer with the sale of the Goods, some of which is provided to Seller by Seller's suppliers. SELLER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, REGARDING THE ACCURACY OF THE DATA OR INFORMATION PROVIDED WITH THE GOODS. The data and information provided by Seller shall be used at the sole discretion of Buyer.

Seller is not liable or responsible for any application of the Goods. From time to time, Seller or Seller's agents may offer recommendations or advice regarding use of the Goods. BUYER AND SELLER UNDERSTAND AND AGREE THAT RECOMMENDATIONS OR ADVICE FROM SELLER DO NOT CONSTITUTE AN EXPRESS OR IMPLIED WARRANTY. This provision applies to all products and cannot be altered by Seller, Buyer, or any agent of Seller or Buyer. For additional information, please see Applied Products, Inc. general terms and conditions.